

AS

REPLACEMENT SHEET



4/11

400

TDE

GENERAL TRIGGER DEFINITION INFORMATION HEADER STATUS - OPERATIVE SELF - REFERENCING ATTRIBUTE	402
TRIGGER NAME - - - LIB1/TRIG1	404
DEPENDENT OBJECT AREA INFORMATION DATA FOR TABLE 1 : OBJOFF OBJLEN LIBOFF LIBLEN DATA FOR TABLE 2 : OBJOFF OBJLEN LIBOFF LIBLEN DATA FOR TABLE 3 : OBJOFF OBJLEN LIBOFF LIBLEN	406
SANITIZED CREATE TRIGGER STATEMENT AREA CREATE TRIGGER LIB1 . TRIG1 AFTER UPDATE OF COL1 , COL2 , COL3 ON LIB1. TABLE1 REFERENCING OLD AS X1 NEW AS X2 FOR EACH ROW MODE DB2SQL WHEN (X1 . COL1 = 1) BEGIN ATOMIC INSERT INTO LIB1 . TABLE1 (COL1 , COL2 , COL3) VALUES (1 , 2 , 3); INSERT INTO LIB1 . TABLE2 (COL1 , COL2 , COL3) VALUES (4 , 5 , 6); INSERT INTO LIB2 . TABLE3 (COL1 , COL2 , COL3) VALUES (7 , 8 , 9); END	408

LEGEND:

- OBJOFF - Offset into the Create Trigger statement to the object name
- OBJLEN - Length of the object name in the Create Trigger statement
- LIBOFF - Offset to the library name associated with the object name
in the Create Trigger statement
- LIBLEN - Length of the library name in the Create Trigger statement

Fig. 4